



## BONDEX Hardwood Furniture Refresher

<b>Product Code</b>	440091
<b>Product Name</b>	BONDEX Furniture Refresher
<b>Recommended for</b>	All exterior wood
<b>Available sizes</b>	1.00 L

## 1 Product Description

1.1	Product Type:	Watery substance composed of detergent substances, specially matched to the natural material wood.
1.2	Manufacturer:	Dyrup A/S - Gladsaxevej 300 - 2860 Søborg - Denmark - Phone: +45 39 57 93 00 - www.dyrup.com
1.3	Where to use:	For old and new garden furniture made from untreated hardwood (teak, bangkirai, iroko, oak, larch, mahogany, maple, cedar) and other hardwood surfaces. Also suitable for use on rattan furniture.
1.4	Product Effect:	Bondex Furniture Refresher cleans and brightens hardwood surfaces. The original wood colour tone can be reproduced with Bondex Furniture Refresher (undiluted). Dirt, mould and residues are removed on outdoor wooden surfaces with the brightener (diluted).
1.5	Colour:	Colourless.
1.6	Form Supplied:	Ready to use.

## 2 Composition

2.1	Additives:	Ingredients pursuant to EC recommendation: Aqua, cocoalkonium chloride, Trideceth-9, Peg-8, isopropyl alcohol, sodium bicarbonate, sodium polyaspartate, sodium diethylenetriamine pentamethylene phosphonate, fragrances.
-----	------------	--

## 3 Technical Data

3.1	Density:	1.0 g/ml.
3.2	Viscosity:	Liquid.
3.3	pH Value:	7.5 - 8.



- 3.4 Odour: Weak odour. Odourless after drying.
- 3.5 Dilution: Add 1 cup of concentrate (around 125 ml) to 5 liters of lukewarm water.
- 3.6 Application: Cleaning of the surface (*the grey patina remains intact*): Apply the diluted product evenly with a sponge. Thoroughly scrub the wooden surface with a soft cleaning brush in the direction of the wood grain. Rinse well with water afterwards and leave to dry. Refreshing of the wood surfaces (*the original wood colour tone is achieved*): Apply the undiluted product to the wood using a sponge or brush. Leave to take effect for around 20 minutes and repeat. Scrub well with a cleaning brush in the direction of the wood grain. Rinse with clean water. Carefully remove stubborn stains with a sanding pad. Final treatment: Bondex Exotic Oil.
- 3.7 Coverage App. 6-8 m<sup>2</sup>/l, depending on the type of wood and the state of substrate.
- 3.8 Storage: Seal tightly after use. Store and transport cool, dry and frostfree.
- 3.9 Shelf Life: Unopened: 36 months. Opened: 12 months.

---

## 4 Instructions for use

---

- 4.1 In general: Shake well before use. Do not use or dry at temperatures below +10°C and/or relative humidity above 80%. Only process material with a matching batch no. on a surface.
- 4.2 General instruction: Do not use in areas in which food is manufactured or stored. Only store in original containers. Do not mix Bondex Furniture Refresher with other cleaning agents.
- 4.3 Humidity / Moisture content: Moisture content: Softwood: max 15% - Hardwood: max. 12%. Do not use at temperatures below 5°C and/or above 80% relative humidity, based on a daily average.

---

## 5 Treatment

---

- 5.1 Application method: Apply with a soft brush along the grain.

---

## 6 Safety precautions

---

- 6.1 Safety instructions. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Wear eye or face protection. Wear protective clothing: IF INHALED: Remove person to fresh air and keep comfortable for breathing; IF SWALLOWED: Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Use biocides safely. Always read label carefully before use. For more information, see our safety data sheet.



---

## 7 Disposal

---

- 7.1 Disposal: Do not dispose of into ground water, watercourses or the sewage system. Empty can may be recycled (check with your local waste disposal site or your local authorities).

---

The purpose of this Technical Data Sheet is to provide our clients with information about the properties and characteristics of the product. The information provided is based on tests conducted by us under usage conditions that comply with the prevailing standards. Our recommendations for use are for information only, and in no event shall they take precedence over any specific recommendation taking into account the nature and conditions of a particular site, nor shall they engage PPG's liability. Before all applications of the product, clients should check that this document has not been amended by a more recent version, which takes into account new technical data. This version annuls and replaces all previous versions of Technical Data Sheets relating to this product.

---